

Supplementary Appendix

This appendix has been provided by the authors to give readers additional information about their work.

Supplement to: Malhotra A, Dhutia H, Finocchiaro G, et al. Outcomes of cardiac screening in adolescent soccer players. *N Engl J Med* 2018;379:524-34. DOI: [10.1056/NEJMoa1714719](https://doi.org/10.1056/NEJMoa1714719)

Supplementary Appendix

Outcomes of Cardiac Screening Adolescent Soccer Players

Aneil Malhotra, MB BChir, PhD,^{1,2} Harshil Dhutia, MBBS,¹ Gherardo Finocchiaro, MD,¹ Sabiha Gati, MBBS, PhD,¹ Ian Beasley, MBBS,³ Paul Clift, MBBS, MD,⁴ Charlotte Cowie, MBBS,² Antoinette Kenny, MBBS, MD,⁵ Jamil Mayet, MBBS, MD,⁶ David Oxborough, PhD,⁷ Kiran Patel, MB BChir, PhD,⁸ Guido Piele MBBS, PhD,⁹ Dhruvo Rakhit, MBBS, PhD,¹⁰ David Ramsdale, MBBS, MD¹¹ Leonard Shapiro, MBBS, MD,¹² John Somauroo, MBBS,⁷ Graham Stuart, MBChB,⁹ Amanda Varnava, MB ChirB, MD,⁶ John Walsh, MBBS, DM¹³ Zaheer Yousef, MBBS, MD,¹⁴ Maite Tome MD, PhD,¹ Michael Papadakis, MBBS, MD¹ Sanjay Sharma, MBChB, MD¹

¹Cardiology Clinical Academic Group, St George's University of London, UK.

²Football Association, Burton-upon-Trent, UK.

³Department of Sports Medicine, Bartholomew's and London Hospital, London, UK.

⁴Department of Cardiology, Queen Elizabeth Hospital, Birmingham, UK.

⁵Department of Cardiology, Freeman Hospital, Newcastle-upon-Tyne, UK.

⁶Department of Cardiology, Imperial College NHS Trust, London, UK.

⁷School of Sports and Exercise Sciences, John Moores University, Liverpool, UK.

⁸Department of Cardiology, Good Hope Hospital, Sutton Coldfield, UK.

⁹Bristol Heart Institute, Bristol, UK.

¹⁰University Hospital Southampton, Southampton, UK.

¹¹Department of Cardiology, Liverpool Heart and Chest Hospital, Liverpool, UK.

¹²Department of Cardiology, Papworth Hospital, Papworth, UK.

¹³Nottingham City Hospital, Nottingham, UK.

¹⁴University Hospital of Wales, Cardiff, Wales, UK

Corresponding author:

Professor Sanjay Sharma

Cardiology Clinical Academic Group

St. George's University of London

Cranmer Terrace. London. SW17 0RE

Telephone: +44(0)208 7255939

sasharma@sgul.ac.uk

<u>Table of Contents</u>	<u>Page</u>
Members of Cardiology Consensus Group	3
Figure S1: Football Association Pre-Cardiac Screening Health Questionnaire	4
Table S1: Clinical Features and Outcomes of Athletes with Wolff-Parkinson-White ECG Pattern	7

The following authors are members of the Cardiology Consensus Group of the English Football Association:

Aneil Malhotra, Paul Clift, Charlotte Cowie, Antoinette Kenny, Jamil Mayet, David Oxborough, Kiran Patel, Guido Pieles, Dhrubo Rakhit, David Ramsdale, Leonard Shapiro, John Somauroo, Graham Stuart, Amanda Varnava, John Walsh, Zaheer Yousef and Sanjay Sharma.

Figure 1S: The Football Association Pre-Cardiac Screening Health Questionnaire



Please fully complete the questionnaire in black ink

Players full name

Date of Birth

Club Doctor & address

Home Address

Postcode

TEL

Name and Address of GP

Postcode

TEL

Serious illnesses requiring hospitalisation **Yes – No**

Date/ Details/ Medication

Operative procedures **Yes – No**

Date/ Details/ Medication

Any other serious injuries e.g. Fractures **Yes – No**

Date/ Details/ Medication

ETHNICITY (Circle as appropriate)

WHITE	MIXED	BLACK	ASIAN	OTHER
British	White & Black	Caribbean	Indian	Chinese
Irish	White & Asian	East African	Pakistani	Filipino
Turkish/Cypriot	White & Other	West African	Bangladeshi	Vietnamese
Greek/Cypriot	Other	North African	Other	Other
If other please specify:				

HAVE YOU EVER FAINTED (circle as appropriate)

During exercise	Yes – No	How recently did this occur and describe
Following exercise	Yes – No	How recently did this occur and describe
Unrelated exercise	Yes – No	How recently did this occur and describe

HAVE YOU EVER HAD ANY DIZZY SPELLS (circle as appropriate)

During exercise	Yes – No	How recently did this occur and describe
Following exercise	Yes – No	How recently did this occur and describe
Unrelated exercise	Yes – No	How recently did this occur and describe

HAVE YOU EVERY EXPERIENCED CHEST PAIN, HEAVINESS, OR TIGHTNESS (circle as appropriate)

During exercise	Yes – No	How recently did this occur and describe
Following exercise	Yes – No	How recently did this occur and describe
Unrelated exercise	Yes – No	How recently did this occur and describe

HAVE YOU EVER HAD PALPITATIONS?

Yes – No

How recent did this occur? Describe the circumstances

ARE YOU MORE EASILY TIRED THAN

Yes – No

How recent did this occur? Describe the circumstances

YOUR TEAM MATES?

DO YOU FEEL MORE BREATHLESS?

Yes – No

How recent did this occur? Describe the circumstances

IS THERE ANY FAMILY HISTORY OF THE FOLLOWING (circle as appropriate)

High blood pressure	Yes – No
High Cholesterol	Yes – No
Diabetes	Yes – No
Heart disease under 50 years	Yes – No
Wolff-Parkinson-White Syndrome	Yes – No

Please specify to include maternal side or paternal side

HOW MANY DAYS A WEEK ARE YOU PHYSICALLY ACTIVE PLAYING SPORTS

Please specify

HOW MANY HOURS A WEEK ARE YOU PHYSICALLY ACTIVE PLAYING SPORTS

Please specify

Player's Name

If there is anything else health related that is not covered in any of the above please provide us with the information in the box below.

Additional health information

I the (circle as appropriate) Player/ Parent/ Guardian confirm that I have accurately, to the best of my knowledge, fully completed this form.

Signature

Print name

Date

Table S1: Clinical Features and Outcomes of Athletes with Wolff-Parkinson-White ECG Pattern.

	Age	Sex	Ethnicity	History & Examination	ECG	Echo	LGE on CMR	Exercise testing	Gene testing	Outcome
WPW	16	Male	White	Negative	PR interval 106ms with left-sided accessory pathway	Normal	N/A	Asymptomatic. Persistence of conduction through accessory pathway. No arrhythmia.	N/A	Underwent ablation and returned to play
WPW	16	Male	White	Negative	PR interval 110ms with left-sided accessory pathway	Normal	N/A	Asymptomatic. Persistence of conduction through accessory pathway. No arrhythmia.	N/A	Underwent ablation and returned to play
WPW	15	Male	White	Negative	PR interval 99 ms with right-sided accessory pathway	Normal	N/A	Asymptomatic. Persistence of conduction through accessory pathway. No arrhythmia.	N/A	Underwent ablation and returned to play
WPW	16	Male	White	Negative	PR interval 96ms with left-sided accessory pathway	Normal	N/A	Asymptomatic. Persistence of conduction through accessory pathway. No arrhythmia.	N/A	Underwent ablation and returned to play
WPW	17	Male	White	Negative	PR interval 111ms with postero-septal accessory pathway	Normal	N/A	Asymptomatic. Persistence of conduction through accessory pathway. One episode of 5 beat run of SVT during peak exercise that self-terminated.	N/A	Underwent ablation and returned to play
WPW	16	Male	White	Negative	PR interval 86ms with left-sided accessory pathway	Normal	N/A	Asymptomatic. Persistence of conduction through accessory pathway. No arrhythmia.	N/A	Underwent ablation and returned to play
WPW	16	Male	White	Negative	PR interval 98 ms with left-sided accessory pathway	Normal	N/A	Asymptomatic. Persistence of conduction through accessory pathway. No arrhythmia.	N/A	Underwent ablation and returned to play

Condition	Age	Sex	Ethnicity	History & Examination	ECG	Echo	LGE on CMR	Exercise testing	Gene testing	Outcome
WPW	16	Male	White	Negative	PR interval 102 ms with left-sided accessory pathway	Normal	N/A	Asymptomatic. Persistence of conduction through accessory pathway. No arrhythmia.	N/A	Underwent ablation and returned to play
WPW	15	Male	White	Negative	PR interval 118ms with left-sided accessory pathway	Normal	N/A	Asymptomatic. Persistence of conduction through accessory pathway. No arrhythmia.	N/A	Underwent ablation and returned to play
WPW	16	Male	White	Negative	PR interval 115 ms with postero-septal accessory pathway	Normal	N/A	Asymptomatic. Persistence of conduction through accessory pathway. No arrhythmia.	N/A	Underwent ablation and returned to play
WPW	16	Male	White	Negative	PR interval 99ms with left-sided accessory pathway	Normal	N/A	Asymptomatic. Persistence of conduction through accessory pathway. No arrhythmia.	N/A	Underwent ablation and returned to play
WPW	17	Male	White	Negative	PR interval 104ms with left-sided accessory pathway	Normal	N/A	Asymptomatic. Persistence of conduction through accessory pathway. No arrhythmia.	N/A	Underwent ablation and returned to play
WPW	17	Male	White	Negative	PR interval 119ms with left-sided accessory pathway	Normal	N/A	Asymptomatic. Persistence of conduction through accessory pathway. No arrhythmia.	N/A	Underwent ablation and returned to play
WPW	15	Male	White	Negative	PR interval 98ms with right-sided accessory pathway	Normal	N/A	Asymptomatic. Persistence of conduction through accessory pathway. No arrhythmia.	N/A	Underwent ablation and returned to play

Condition	Age	Sex	Ethnicity	History & Examination	ECG	Echo	LGE on CMR	Exercise testing	Gene testing	Outcome
WPW	16	Male	Black	Negative	PR interval 105ms with left-sided accessory pathway	Normal	N/A	Asymptomatic. Persistence of conduction through accessory pathway. No arrhythmia	N/A	Underwent ablation and returned to play
WPW	16	Male	White	Negative	PR interval 98ms with left-sided accessory pathway	Normal	N/A	Asymptomatic. Persistence of conduction through accessory pathway. No arrhythmia	N/A	Underwent ablation and returned to play
WPW	16	Male	White	Negative	PR interval 107ms with right-sided accessory pathway	Normal	N/A	Asymptomatic. Persistence of conduction through accessory pathway. No arrhythmia	N/A	Underwent ablation and returned to play
WPW	16	Male	White	Negative	PR interval 103ms with left-sided accessory pathway	Normal	N/A	Asymptomatic. Persistence of conduction through accessory pathway. No arrhythmia	N/A	Underwent ablation and returned to play
WPW	16	Male	White	Negative	PR interval 97ms with left-sided accessory pathway	Normal	N/A	Asymptomatic. Persistence of conduction through accessory pathway. No arrhythmia	N/A	Underwent ablation and returned to play
WPW	16	Male	White	Negative	PR interval 106ms with left-sided accessory pathway	Normal	N/A	Asymptomatic. Persistence of conduction through accessory pathway. No arrhythmia	N/A	Underwent ablation and returned to play
WPW	16	Male	White	Negative	PR interval 66ms with left-sided accessory pathway	Normal	N/A	Asymptomatic. Persistence of conduction through accessory pathway. No arrhythmia	N/A	Underwent ablation and returned to play
WPW	15	Male	White	Negative	PR interval 72ms with left-sided accessory pathway	Normal	N/A	Asymptomatic. Persistence of conduction through accessory pathway. No arrhythmia	N/A	Underwent ablation and returned to play

Condition	Age	Sex	Ethnicity	History & Examination	ECG	Echo	LGE on CMR	Exercise testing	Gene testing	Outcome
WPW	16	Male	White	Negative	PR interval 110ms with postero-septal accessory pathway	Normal	N/A	Asymptomatic. Persistence of conduction through accessory pathway. No arrhythmia	N/A	Underwent ablation and returned to play
WPW	16	Male	White	Negative	PR interval 117ms with left-sided accessory pathway	Normal	N/A	Asymptomatic. Persistence of conduction through accessory pathway. No arrhythmia	N/A	Underwent ablation and returned to play
WPW	17	Male	White	Negative	PR interval 98ms with left-sided accessory pathway	Normal	N/A	Asymptomatic. Disappearance of conduction across the accessory pathway when heart rate >120bpm. No arrhythmia	N/A	Underwent EPS only; deemed low-risk pathway (antegrade refractory period>250 ms). Player chose not to undergo ablation. Returned to play.
WPW	16	Male	White	Negative	PR interval 106ms with left-sided accessory pathway	Normal	N/A	Asymptomatic. Disappearance of conduction across the accessory pathway when heart rate >140bpm. No arrhythmia	N/A	Underwent EPS only; deemed low-risk pathway (antegrade refractory period>250 ms). Player chose not to undergo ablation. Returned to play.

Echo denotes echocardiogram, EPS denotes electrophysiology study, N/A denotes not applicable, SVT denotes supraventricular tachycardia, WPW= Wolff-Parkinson-White ECG pattern.